Box I, 97. E 3002 CATALOGUE

All applications for apparatus are to be made on Science Form

APPARATUS FOR TEACHING CHEMISTRY.

Subject 10.—Inorganic Chemistry.

Subject 11.—Organic Chemistry.

&c., or indeed cenerally in the particles of articles to be used by

given on those articles to which no such price is attached.



BOLTON AND BARNIES : NOUNOL BE EN

PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY,
FOR HER MAJESTY'S STATIONERY OFFICE.

1865.

7802.

311.11.65.



INSTRUCTIONS.

All applications for apparatus are to be made on Science Form No. 49, which will be supplied on application to the Secretary, Science and Art Department, South Kensington.

The prices given in the right-hand column are the highest on which the aid of 50 per cent. is given. The applicant is at liberty to select a higher-priced article, but the aid towards the purchase of it will be only 50 per cent. of the price in the right-hand column. Should a lower-priced article be selected the aid will be only to the extent of 50 per cent. of its price. No aid is given on those articles to which no such price is attached.

Apparatus grants are rigorously confined to articles of a permanent and non-destructible nature; hence no aid is afforded in the purchase of breakable articles, such as glass retorts, test tubes, &c., or indeed generally in the purchase of articles to be used by the student as distinguished from those of a permanent and illustrative character which are required by the teacher in giving instruction in science. To such articles no prices are affixed in the right-hand column; the articles are mentioned simply to assist teachers in their selection.

ADDRESSES OF MANUFACTURERS :--

GRIFFIN, 119, Bunhill Row, E.C.
HORNE AND THORNTHWAITE, Newgate Street, E.C.
JACKSON AND TOWNSON, 89, Bishopsgate Street Within, E.C.
BOLTON AND BARNITT, 146, Holborn Bars, E.C.

APPARATUS FOR TEACHING THE ELEMENTS OF CHEMISTRY.

Apparatus to show the electrolysis of water.	£	s.	d.
Griffin, 2s. 6d., 7s., 14s., and 21s. Jackson and Townson, 5s., 7s. 6d., 11s. 6d., and 21s. Horne and Thornthwaite, 7s. 6d. Bolton and Barnitt, 5s. 6d., and 7s. 6d.	in a still	iq i	0
Aspirator.	580		
Griffin, 5s. 6d. to 10s. 6d. Jackson and Townson, 5s. to 25s. Horne and Thornthwaite, 21s. to 63s. Bolton and Barnitt, 5s. to 7s. 6d.	SALVE OF	10	6
Battery.	80		
Griffin, 6 cells, Smee's, in frame, 2l. 12s. 6d. Jackson and Townson, Smee's, 6 elements, 1l. 15s., Groves', 6 elements, 2l. 12s., in trays. Horne and Thornthwaite, 6 cells, Smee, 3l. 10s., Groves, 8 cells, 5l. Bolton and Barnitt, 4s. 6d., and 6s. 6d.; sets of six,	2	12	6
17. 16s.	THIS .	3	
Balloon gold beater's skin.	olto		
Griffin, 1s. 3d., 2s. 6d., and 4s. 6d. Jackson and Townson, 18 in. circumf., 1s.; 36 in. 2s. 6d.; to 70 in. 12s. 6d. Horne and Thornthwaite, 1s. to 6s. 6d. Bolton and Barnitt, 1s. 3d., 1s. 6d., and 2s.	0	2	6
Burette, Hessian, 5d. to 22, 6d. per les land Thornthwaite, Hessian, 5d. to 22, 6d. per	mol		
Griffin, 3s. to 8s. Jackson and Townson, 100 divisions, 5s.; 200, 6s. 6d. Horne and Thornthwaite, 6s. each. Bolton and Barnitt, 3s. 6d., 4s. 6d., 6s. 6d.	0	6	6
Bell jars.	hillin		
Griffin, 1s. to 5s. Jackson and Townson, 10 ozs. to 160 ozs., open, 10d. to 5s.; stoppered, 1s. 3d. to 6s. 6d. Horne and Thornthwaite, 2s. to 8s. 6d.	0	8	6
Bolton and Barnitt, plain, 1s., 1s. 6d., and 2s., stoppered, 1s. 6d., 2s., and 2s. 6d. to 6s. 6d.	dkin dksh		
Beakers. 34 all applies of the angle mollagunografs	830		
Griffins, 7d., 2s., 8s., 12s, per nest.	0	10	6
Jackson and Townson, sets of 3 to 13, 10d. to 10s. 6d. Horne and Thornthwaite, from 1s. to 10s. 6d. per nest. Bolton and Barnitt, per set, 1s. 6d., 2s. 6d., 5s., and 8s.			

	£ s. d.	
Bulb tubes.	0 1 6	
Griffin, 3d. to 6d. each. Jackson and Townson, 3d. to 6d. each. Horne and Thornthwaite, 1s. 6d. per dozen. Bolton and Barnitt, 3d. to 6d. each.		
Griffin, 6d. each, and 1s. 4d. per lb. in lengths. Jackson and Townson, hardest, 2s. per lb. Horne and Thornthwaite, 2s. 6d. per lb. Bolton and Barnitt, 1s. 6d. per lb.	0 2 0	A
Condenser.	0.10	c
Griffin, with support, 12s. 6d. Jackson and Townson, 5s. 6d., 7s. 6d., 12s. 6d. to 17s. 6d. Horne and Thornthwaite (Liebig's), 7s. 6d.	missi whole with	
Bolton and Barnitt (Liebig's), 12s. 6d. to 1l.		
Caoutchouc tubing for gas and connectors.	rator	
Griffin, 3d. to 1s. 4d. per foot. Jackson and Townson, 3d. to 1s. 9d. per foot. Horne and Thornthwaite, 6d. to 1s. per foot. Bolton and Barnitt, per foot, 6d. to 1s.	Horis Horis Holla	
Cylinders.	7,13	
Griffin, from 1s. upwards. Horne and Thornthwaite, 2s. 6d. to 5s. Bolton and Barnitt, sets of 4 and 6, 2s. 6d., and 4s. 6d. each.	edini) sacks of sac sac	
Cork hovers.	113 a	
Griffin, set of six, 2s. 9d. Jackson and Townson, sets of 2 to 12, 10d. to 6s. Bolton and Barnitt, 2s. 6d. to 5s. 6d.	0 2	9 ollo
Crucibles. Ma at him Ma at Me at the	BirD	
Griffin, fireclay, porcelain, &c., from 1d. Jackson and Townson, black lead, 2d. to 18s. each, Cornish, 10d. to 15s. per dozen, porcelain, 3d. to 1s. 4d. each, Hessian, from 2d. to 2s. 3d. Horne and Thornthwaite, Hessian, 5d. to 2s. 6d. per	Ilona Bolton te.	
Bolton and Barnitt (porcelain), 6d. to 1s. 4d. each; Hessian from 6d. a dozen.	Jades n Horner	
Crucible tongs. Na .ad .hd .ab ahd at diamed has	Bolton	
Griffin, 1s. 2d. to 4s. 6d. Jackson and Townson, 1s. to 4s. 6d. Horne and Thornthwaite, 1s. 6d. each. Bolton and Barnitt, from 1s.	Gradin Jack sen Jack sen	
Dishes, evaporating.	bould	
Griffin, porcelain, of all kinds rom 3d. Jackson and Townson, porcelain, 1½ ozs. 4d., to 380 ozs. 24s.; composition, 8 ozs. 4d., to 400 ozs. 10s. 6d. Horne and Thornthwaite, 6d. to 10s. each. Bolton and Barnitt, 6, 8, and 10, 1s., 1s. 3d., 1s. 6d., 2s., 2s. 6d., to 12s. 6d.		
In Lucinian walle, from 1s. to 10s. od. per nest.	a contall	

Locks of the formation are discussed by the both per neck.

Horse and Harriet, ner set, is, but, its fed. is, and as,

Lolton and Barriet, ner set, is, but, its fed. is, and as,

Beflagrating spoon with brass cap.	£	s.	d.
Griffin, 1s. and 2s. 6d. Jackson and Townson, 1s. and 2s. each. Horne and Thornthwaite, 1s. 6d. each. Bolton and Barnitt, 2s.	0	2	0
Eudiometer.			
Griffin, 4s. 6d., 6s., 7s. 6d. Jackson and Townson, 6s. 6d. to 8s. 6d. Horne and Thornthwaite, Volta's, 7s., Ure's, 9s. Bolton and Barnitt, 6s. 6d.	0	9	0
Filter paper.	Refer		aed
Griffin, 1s. 6d. per quire, (4 square feet), and 3s. (Swedish). Jackson and Townson, 1s. to 4s. per quire. Horne and Thornthwaite, 1s. per quire. Bolton and Barnitt, best white, 1s. 6d. per quire, common, 1s.	oal,		
Filter stand, wooden.	hall		
Griffin, 1s. to 6s. Jackson and Townson, 1s. 6d. to 2s. 6d. Horne and Thornthwaite, 2s. Bolton and Barnitt, 1s.	0	2 ha	0
Flasks.	- In		
Griffin, from $1\frac{1}{2}d$. upwards. Jackson and Townson, 1 oz. $2d$., to 160 ozs. $2s$. $9d$. each. Horne and Thornthwaite, $4d$. to $1s$. $6d$. each. Bolton and Barnitt, $4d$. to $2s$. each.			
Funnels.	1		
Griffin, $1\frac{1}{2}d$. to 1s. each. Jackson and Townson, $1\frac{1}{2}d$. to 2s. 6d. each. Horne and Thornthwaite, 6d. to 2s. each. Bolton and Barnitt, 3d. to 1s. 6d. each.			
Funnel tubes.	i jis		
Griffin, 2d. to 6d. each. Jackson and Townson, 4d. to 6d. each. Horne and Thornthwaite, 4d. to 8d. each. Bolton and Barnitt, 6d. each.			
Furnace to heat iron or porcelain tubes.	Had		
Griffin, 1l. 16s. Jackson and Townson, 18s. to 2l. 2s. Horne and Thornthwaite, 1l. 16s. Bolton and Barnitt, 2l. to 4l. 4s.	1	16	0
Glass tubing.	4		
Griffin, 1s. 4d. per lb. Jackson and Townson, free from lead, 1s. 6d. per lb. Horne and Thornthwaite, 1s. 9d. to 2s. per lb. Bolton and Barnitt, 1s. 6d. per lb.			

	£ s. d.
Gas lamp, exclusive of furnace fittings.	0 7 6
Griffin, 1s. 9d. to 10s. 6d. Jackson and Townson, 2s., 5s. 6d. to 10s. 6d. Horne and Thornthwaite, 7s. 6d. Bolton and Barnitt, various, 2s. 6d. upwards.	
Gas hottle.	0 3 6
Griffin, from _s. and upwards. Jackson and Townson, 1s. 6d. to 2s. 6d.; iron, 5s. 6d. Horne and Thornthwaite (copper), 12s. 6d. Bolton and Barnitt, 1s. 6d. to 3s. 6d.	on to cold cold cost tollis
Gas holder, Pepys. Griffin, 2l. 5s.; without trough, 28s. Jackson and Townson, with stopcock, 2 galls. 21s.,	0 10 0
8 galls., 34s. Horne and Thornthwaite, 1l. 1s. to 8l, Bolton and Barnitt, 2 gal. 1l. 4s., 4 gal. 1l. 8s., 6 gal. 34s.	P
Glass Diaus.	Filter star
Griffin, from ½d. each. Jackson and Townson, 2 in. diameter, 1d., 9 in. 8d. Horne and Thornthwaite, 6d. to 1s. Bolton and Barnitt, 2s. to 6s. per dozen.	1.4
Class rods.	.cdeni'l
Griffin, 2d. to 1s. 6d. a dozen. Jackson and Townson, 1s. 6d. per lb.; stirring rods, 2s. 6d. per lb. Horne and Thornthwaite, 3s. per dozen. Bolton and Barnitt, 1s. 4d. per lb.	of the state of th
Herapath's blowpipe.	0 7 6
Griffin, 7s. 6d., 15s. Jackson and Townson, 7s. 6d. to 9s. 6d. Horne and Thornthwaite, 7s. 6d.	Or had a langer of the langer
Mariotte's tube.	0 10 6
Griffin, 10s. 6d. to 15s.	nd atl
Mercurial trough.	0 4 0
Griffin, 1s. 3d. to 2l. 10s. Jackson and Townson, porcelain, 1s. 9d., 2s. 6d. and Horne and Thornthwaite, 2s. 6d. to 3s. 6d. Bolton and Barnitt, 1s. 9d. to 4s.	3s.
Mercury, per lb. 5s.	Class tubing,
Griffin Jackson and Townson Horne and Thornthwaite Bolton and Barnitt	0 10 0

BAGANTO STONESPHINISTINIS	Gos lanin.
Pneumatic trough.	\pounds s. d.
Griffin, 2s. 8d, to 3l. 3s. Jackson and Townson, 2s. to 10s. Horne and Thornthwaite, 4s. to 15s. Bolton and Barnitt, 5s. 6d. to 12s.	The state of the s
Pestle and mortar.	
Griffin, from 6d. to 5s. each. Jackson and Townson, 3, 4, 5, 8 in. diam., 1s. 6d., 2s., 3s., and 6s. Horne and Thornthwaite, 1s. to 5s. Bolton and Barnitt. from 1s. to 5s.	0 5 0
	l'est tubes.
Howns and Thounthirroits he to be such	SMAD Jacks Mora Bolto
Platinum crucibles.	是的数据。据到
Griffin, 10s. to 3l. 10s. Jackson and Townson, about 1 oz., cap., 1l. 10s. Horne and Thornthwaite, from 10s. 6d. to 5l. Bolton and Barnitt, 12s. to 1l. 15s.	1 10 0
Platinum wire.	AND THE REAL PROPERTY.
Griffin Jackson and Townson Horne and Thornthwaite Bolton and Barnitt	Jackes Horne Boltor Hee course.
Retort stands.	hdlird
Griffin, 1s. 9d. to 1l. 1s. Jackson and Townson, 1s. to 17s. 6d. Horne and Thornthwaite, 2s. 6d. to 10s. 6d. Bolton and Barnitt, 2s. 6d. to 7s. 6d.	0 10 6
Retorts.	ralini)
Griffin, $1\frac{1}{2}d$. to $1l$. 1s. each. Jackson and Townson, plain, 2 ozs. to 64 ozs. 3d. to 1s. 9d.; stoppered, 9d. to 3s. 6d. Horne and Thornthwaite, 6d. to 5s. Bolton and Barnitt, 6d. to 5s.	adioH
Receivers.	Tilly arress
Griffin, 2d. to 1l. 1s. Jackson and Townson, 3d. to 5s. 6d. Horne and Thornthwaite, 1d. to 3s. 6d. Bolton and Barnitt, 6d. to 5s.	0 5 0
Sand bath.	19 512 514 5
Griffin, 3s. to 6s. Jackson and Townson, 6d. to 2s. Horne and Thornthwaite, 6d. Bolton and Barnitt, 6d. to 1s. 6d.	0 3 0

Spirit lamp.

Griffin, 1s. to 2s. 6d., argand, 16s. 6d. to 1l. 11s. 6d. Jackson and Townson, 1s. to 4s. 6d.; argand, 3s. 6d., 5s., 7s. 6d.; with porcelain foot, 16s., 21s. Horne and Thornthwaite, 1s. 6d. to 5s. Bolton and Barnitt, 1s. 3d.; argand, 18s. to 30s.

Triangle.

Griffin, 2d. to 1s.

Jackson and Townson, 2d. to 6d.

Horne and Thornthwaite, 3d. each. Bolton and Barnitt, 6d. And at more stimes to be a local

Test tubes.

Griffin, 4d. to 2s. 6d. per dozen. Jackson and Townson, 10d. to 5s. 6d. per dozen. Horne and Thornthwaite, 2s. per dozen.
Bolton and Barnitt, 6d. to 2s. 6d. per dozen.

Test glasses.

Griffin, 3s. 6d. to 18s. per dozen. Jackson and Townson, 3s. to 8s. per dozen.
Horne and Thornthwaite, 3s. per dozen.
Bolton and Barnitt, 3s. to 8s. per dozen.

Water bath.

Griffin (hot water), 25s. to 42s. Jackson and Townson, 12s. 6d. to 1l. 6s. Jackson and Townson, 128. da. to 11. os.

Horne and Thornthwaite, 2s.

Rolton and Barnitt. 7s. 6d. Bolton and Barnitt, 7s. 6d. Bolton and Barnitt

Wire gauze.

Griffin, 1s. 6d. per square foot. Jackson and Townson, 1s. 4d. per square foot. Horne and Thornthwaite, 1s. 6d. per square foot, Bolton and Barnitt, 6d. Rollor and Barnitt. 2s, 6d, to 7s, 6d,

Woulfe's bottles.

Griffin, 10d. to 6s. 6d. each. Jackson and Townson, 3 necks, 4 ozs. 1s., to 160 ozs.

Horne and Thornthwaite, set of three, 1s., to 160 oz. Bolton and Barnitt, 1s. to 5s. each.

Griffin, 2d, to M. Is.

Jackson and Tomeson, 3d, to 5s, 5d.

Horne and Thornthwate, 1d, to 3s, 5d.

Bolton and Barnitt, 6d, to 5s.

Platinam concibies.

 \mathscr{L} s. d.

Beiort sinnels.

0 7 6

ORGANIC CHEMISTRY.

	1		
Air oven.	£	s.	d.
Griffin, Taylor's, 12s. 6d., Bunsen's, 1l. 10s. Jackson and Townson, 9s., 14s., 1l. 10s. Horne and Thornthwaite (Tayler's), 18s. to 1l. 12s. Bolton and Barnitt (in copper), 1l. 5s. to 1l. 15s.	1	10	0
Apparatus to show contraction on mixing alcohol with water.			n v
Griffin, 5s. 6d. Horne and Thornthwaite, 4s. Bolton and Barnitt, 3s. 6d. to 5s. 6d.	0	5	6
Balance.	100		
Jackson and Townson, 2l. 2s. to 15l., in glass case. Horne and Thornthwaite, from 2l. 2s. to 17l. 17s. Bolton and Barnitt, 3l. 3s. to 6l. 6s., 8l. 8s.	6	0	0
Combustion tubing.			
Griffin, 6d. each, 1s. 4d. per lb. Horne and Thornthwaite, 1s. each. Jackson and Townson, hardest, 6s. doz.; 2s. per lb. Bolton and Barnitt, 6s. per dozen.	· · · · · · · · · · · · · · · · · · ·		2年 4
Combustion mortar.			
Griffin, 2s. to 3s. 6d. each. Jackson and Townson, $3\frac{1}{4}$ in., 2s. 6d.; 5 in., 4s. Horne and Thornthwaite, 4s. each. Bolton and Barnitt, 1s. 9d. to 2s. 9d. each.	0	4	0
Combustion furnace.			
Griffin, for charcoal, 4s.; for gas, Hofmann's, 6l. 6s. to 12l. 12s.; Griffin's, 3l. 3s. to 6l. 6s. Jackson and Townson, Liebig's, 5s. to 7s. 6d., Hofmann's, 6l. 6s. to 12l. 12s. Horne and Thornthwaite, 5s. Bolton and Barnitt, from 4s.	6	6	0
Chloride of calcium tube.			
Griffin, 2d., 3d., and 1s. each. Jackson and Townson, 3d. to 1s. 6d. each. Horne and Thornthwaite, 1s. each. Bolton and Barnitt, 2d. to 4d. each.	0	1	6
Nitrogen bulbs.	1		
Griffin, 8d. Jackson and Townson, 1s. Horne and Thornthwaite, 1s. 6d. each. Bolton and Barnitt, 1s. 6d. each.	0	1	6

	THE PARTY NAMED IN CO.			
Nitrog	en tubes (graduated). IHHO ORGANIO	1 £	S.	d.
s. d.	Jackson and Townson, 3s. to 5s. Horne and Thornthwaite, 15s.		5	O
Potass	a bulbs.	Jac		
	Griffin, 1s. 6d. Jackson and Townson, 2s. 6d. in case. Horne and Thornthwaite, 3s. Bolton and Barnitt, 1s. 6d. to 2s. 6d.	00	2 raq	6
Vapou	r density apparatus.	.759	inw	
3 6	Horne and Thornthwaite, 10s. 6d. Bolton and Barnitt, complete with copper gasholder, 10l. to 25l.		10	6
Water				
	Griffin, 1l. 5s. to 2l. 2s. Jackson and Townson, 12s. 6d., 1l. 1s., 1l. 6s., and	2	0	0
	Horne and Thornthwaite, 12s. Bolton and Barnitt (copper), 1l. 5s. to 3l., (tin),			7
Watch	glasses. Griffin, 1s. per dozen.			0.3
	Jackson and Townson, 1s. to 5s. per dozen. Horne and Thornthwaite, 2s. per dozen. Bolton and Barnitt, 2s. per dozen.			
	m mortar.	ile		
H F	ffin, 2s. to 3s. 6d. each. kson and Townson, 31 in, 2s. 6d.; 5 in, 4s. me and Thornthwaite, 4s. each, ton and Barnit, 1s. 9d. to 2s. 9d. each.			
	and the state of t			

Griffia, 2d., 3d., and ls. each. Jackson and Townson, 3d. to ls. Ed. each. Horne and Thorniby size, ls. each. Bolton and Barnits, 2d. to 4d. each. LONDON:

Printed by George E. Eyre and WILLIAM SPOTTISWOODE, Printers to the Queen's most Excellent Majesty. For Her Majesty's Stationery Office. [9589.—500.—11/65.]

77.8.96 25041 800 134066.